


SHARP SERVICE MANUAL

CODE: 00ZCS2635ESME

SHAR-05594



CS-2635E MODEL CS-2635EC (For SEEG)

DISPLAY SECTION	STANDARD FUNCTION 12 digits 1M	
	1,234,567,890.12 $\frac{M}{E}$	
	ELEMENT: D G	PARTS NAME: 13-LT-19G
	NUMERAL: 12 digits	SYMBOL: 1 digit(s)
LIST	Name : TC83220-0402	
	Type : SDIP	
Pin : 42Pins		
POWER SUPPLY	AC: <input type="radio"/>	DC: <input checked="" type="radio"/>
<ul style="list-style-type: none"> BATTERY TYPE AC only OPERATION TIME 		

KEY LAYOUT	
00	:CS-2635E
000	:CS-2635EC
KEY SYSTEM : Plastic + Rubber spring	

AC ADAPTOR	
RECHARGEABLE BATTERY	
AUTO POWER OFF TIME	
MEMORY PROTECT	Only when power is supplied with the power cord.
DIMENSIONS (mm)	244 (W) 315 (D) 69 (H)
CALCULATIONS	
<ul style="list-style-type: none"> REPEAT ADDITION/SUBTRACTION CONSTANT MULTIPLICATION/DIVISION SQUARE/POWER RECIPROCAL CONTINUOUS % ITEM COUNTER MODE PRINT IOD (INPUT OVERRIDE DECIMAL) MARK DOWN MARK UP 	<ul style="list-style-type: none"> INCREASE RATE DISTRIBUTION RATIO OOD (OUTPUT OVERRIDE DECIMAL) ADDING MODE ROUNDING MINUS PRINT FORMATION PRINT 2-KEY ROLL OVER ONE TOUCH PAPER FEED INCREASE (DEDUCTION) TAB (F, 6, 3, 2, 1, 0) TAX CALCULATION CURRENCY CONVERSION

MODEL NAME	PA-512
PRINTING SYSTEM	Print wheel selective system
PRINTING CAPACITY	18 digits
CHARACTER DIMENSION	1.5 (W) 2.8 (H) mm
INPUT BUFFER	12 stages
PRINTING SPEED	Approx. 3.6 lines/sec
PAPER FEED SPEED	Approx. 3.6 lines/sec
PAPER RELEASE MECHANISM	Yes
INK RIBBON	2-color system (Black/Red)
INK ROLLER	
INK LIFE	Approx. 25,000 lines
PAPER	Plain paper
PAPER SIZE (Roll paper)	58 $\frac{1}{2}$ mm (W), 80 mm in diameter DPAPR1004CSZZ 5rolls/pack
POWER CONSUMPTION	<ul style="list-style-type: none"> 220 ~ 230V : 70mA

• **Product outline**

CS-2635E/2635EC is a special model for CS-2635D/2635DC.

So, we describe only different on this manual, for detail search, please refer a CS-2635D/2635DC Service manual (00ZCS2635DSM/E).

• **Note for servicing**


The PWB unit is not supplied as a service part.

In case of any trouble in the PWB, replace the whole set.

PARTS GUIDE (Difference with the CS-2635D/2635DC)

CS-2635D/2635DC		CS-2635E/2635EC						
P/G NO.	PARTS CODE	PARTS CODE	DESCRIPTION	PRICE RANK	NEW MARK	PART RANK	CS-2635E	CS-2635EC
①-7	0GS6143190////	0GS6143210////	Display cover	AP	N	D	○	
	0GS6143200////	0GS6143220////	Display cover	AP	N	D		○
①-8	0GS6115631////	0GS6116540////	Upper case	AY	N	D	○	○
①-9	0GS6175410D///	0GS6177170D///	Key top (Function Key) [12pcs]	AR	N	C	○	○
	0GS6175410B///	0GS6177170B///	Key top (Memory) [4pcs]	AS	N	C	○	○
	—	0GS6177170E///	Key top (Euro key) [2pcs]	AM	N	C		○
②-1	0GS6204690////	0GS9208650////	Instruction book (7 Countries)	AS	N	D	○	○
②-7	0GS9430880////	0GS9431780////	Rating label	AD	N	D	○	
	0GS9430890////	0GS9431770////	Rating label	AD	N	D		○
③-1	0GS4312490////	0GS4312890////	LSI (TC83220-0402) [IC1]	BA	N	B	○	○
③-2	0GS4210060////	0GS4210060////	IC (IR2422) [IC2~ IC4]	AL		B	○	○

Plug shape



List of destinations (Destinations are determined by the name plate voltage and the plug shape.)

Destination	To identify destination		Major shipping country	Remarks
	Name plate voltage (V)	Plug shape No.		
AC7	220-230	4	Germany	

AC cord

NO.	PARTS CODE	PRICE RANK	Type of Lead		DESCRIPTION	CS-2635E / 2635EC
			2 LEAD	3LEAD		
4	0GS5423020////	AP	○		AC cord AC7	○

7. Circuit diagram

