



EE CORE




Dimension Part No.	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
EE5	5.25±0.1	2.65±0.075	1.95±0.1	1.35±0.1	3.8min	2.0±0.075
EE6.3	6.17±0.13	2.85±0.05	1.96±0.05	1.35±0.05	3.7±0.1	1.93±0.075
EE8	8.3±0.2	4.1±0.15	3.6±0.2	1.85±0.15	6min	3.0±0.15
EE8A	8.3±0.2	4.2±0.1	3.9±0.1	2.1 ^{+0.05/-0.15}	6.3min	3.2±0.1
EE9	8.3±0.2	4.2±0.1	3.9±0.1	2.0±0.1	6.9±0.2	3.2±0.1
EE10	8.7±0.2	5.7±0.2	4.65±0.15	2.45±0.15	7.9min	4.45±0.15
EE10B	10.3±0.2	5.1±0.2	2.8±0.2	2.45±0.15	7.9min	3.95±0.2
EE13	10.3±0.2	6.2±0.2	6.15±0.15	2.7±0.2	10min	4.65±0.15
EE13A	12.7±0.2	6.4±0.2	3.6±0.2	3.65±0.15	8.8min	4.60±0.2
EE13A1	12.7±0.2	6.4±0.1	3.6±0.2	3.65±0.15	8.8min	±4.650.15
EE13A2	12.7±0.2	6.4±0.2	3.6±0.2	3.65±0.15	8.9 ^{+0.6/0}	4.6 ^{+0.21/-0.15}
EE13B	13.0±0.3	6.15±0.15	6.45±0.15	3.8 ^{+0.05/-0.25}	10.3±0.2	4.3±0.15
EE13C	13.0±0.2	6.0±0.15	8.15±0.15	2.75±0.15	10.2±0.2	4.6±0.1
EE13C1	13.0±0.2	6.0±0.15	6.3 ^{+0/-0.3}	2.8 ^{+0.1/-0.2}	10.2±0.2	4.6±0.1
EE13D	13.0±0.3	6.2±0.15	5.9±0.3	2.7 ^{+0.1/-0.2}	9.8min	4.75±0.15
EE13D1	13.0±0.3	6.3±0.15	5.9±0.2	2.7 ^{+0.1/-0.2}	9.8min	4.85±0.15
EE13D2	13.0±0.3	6.5±0.1	5.9±0.2	2.7 ^{+0.1/-0.2}	9.8min	5.0±0.1
EE13E	13.0±0.2	6.2±0.2	6.05±	2.7±0.2	10min	4.65±0.15
EE13F	12.95±0.3	6.5 ^{+0/-0.15}	9.8±0.2	3.55±0.15	8.9min	4.5 ^{+0.3/0}
EE13G	13±0.2	6.0±0.15	6.3 ^{+0/-0.3}	2.8 ^{+0.1/-0.2}	10.5±0.2	4.6±0.1
EE13H	13.3±0.2	4.55±0.2	6.5±0.15	2.7±0.2	10min	3.0±0.15
EE14	14±0.2	3.5±0.15	5.0±0.2	3.0±0.2	11.0±0.2	2.0±0.1
EE14A	14.0±0.2	5.4±0.15	6.0±0.2	2.9±0.2	11.0±0.2	3.9±0.1
EE16	16.1±0.3	7.4±0.2	4.8±0.2	4.0±0.2	11.8min	5.3±0.2
EE16A	16.0±0.3	8.1±0.2	4.5±0.2	4.55±0.15	11.3min	5.9±0.2
EE16B	16.0±0.3	12.5±0.2	4.8±0.2	4.0±0.2	11.8min	10.5±0.15
EE16B1	16.0±0.3	12.3±0.2	4.8±0.2	4.0±0.2	11.8min	10.2±0.2

EE CORE




Dimension Part No.	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
EE16B2	16.0±0.3	12.4±0.2	4.8±0.2	4.0±0.2	12.1±0.3	10.4±0.2
EE16B3	16.0±0.3	12.25±0.2	5.1 ^{+0/-0.4}	4.2 ^{+0/-0.4}	11.8min	10.2±0.2
EE16B4	16.0±0.3	9.8±0.2	3.7±0.2	4.0±0.2	11.8min	7.7±0.2
EE16C	16.1±0.3	6.0±0.2	7.2±0.2	4.55±0.15	11.3min	3.75±0.15
EE16D	16.3±0.3	12.4±0.2	4.8±0.2	4.0±0.2	12.1min	10.2±0.2
EE16F	16.1±0.3	6.4±0.1	4.75±0.2	3.8±0.2	11.9min	4.4±0.125
EE16G	16.1±0.3	7.25±0.15	6.9±0.2	3.8±0.2	12.0±0.3	5.4±0.2
EE16G1	16.1±0.3	7.1 ^{+0.25/-0}	50 ^{+0/-0.4}	3.8±0.2	12.0±0.3	5.2 ^{+0.25/-0}
EE16H	16.0±0.3	4.4±0.1	9.9±0.3	4.15±0.15	12.0±0.3	2.4±0.15
EE16I	16.1±0.3	7.3±0.2	4.8±0.2	4.0±0.2	11.8min	5.2±0.15
EE16I1	16.1±0.3	7.4±0.2	4.8±0.2	4.0±0.2	11.8min	5.2 ^{+0.25/-0}
EE16J	16.0±0.3	7.5±0.2	4.8±0.2	4.0±0.2	11.8min	5.4±0.2
EE16L	16.1±0.4	7 ^{+0.3/-0}	7 ^{+0/-0.4}	3.2 ^{+0.15/-0.2}	12.8 ^{+0/-0.3}	5.4 ^{+0.2/-0}
EE17	17.2±0.3	12.5±0.3	4.85±0.2	4.0±0.15	12.8min	10.3±0.3
0.3EE19	19.0±0.4	8.2±0.2	4.8±0.2	4.6±0.2	14.3min	5.7±0.2
EE19A	19.4±0.3	12.6±0.3	4.85±0.25	4.85±0.25	14.2min	11.4±0.3
EE19B	19.0±0.4	8.2±0.2	5.0±0.2	4.6±0.2	14.3min	5.7±0.2
EE19B1	19.0±0.3	8.35±0.2	5.0±0.2	4.8 ^{+0/-0.4}	14.3min	5.85±0.2
E19C	19.0±0.4	7.9±0.25	9.58±0.25	4.65±0.2	14.45min	5.6±0.25
EE19D	19.0±0.3	8.3±0.2	4.8±0.2	4.6±0.2	14.3 min	5.8±0.2
EE19E	19.0±0.3	8.05±0.2	50±0.2	4.7 ^{+0/-0.5}	14.3min	5.65±0.2
EE19E1	19.0±0.3	8.2±0.2	5.0±0.2	4.7 ^{+0/-0.5}	14.3min	5.8±0.2
EE19E2	19.0±0.3	7.95±0.2	4.9±0.2	4.7 ^{+0/-0.5}	14.3min	5.6±0.2
EE19E3	19.0±0.3	7.9±0.2	5.2 ^{+0/-0.4}	4.7 ^{+0/-0.5}	14.2min	5.5±0.15
EE19E4	19.0±0.3	8.0±0.3	4.85±0.15	4.7 ^{+0/-0.5}	14.3min	5.7±0.2
EE19F	19.0±0.3	7.55±0.2	7.85 ^{+0/-0.4}	5.0 ^{+0.1/-0.3}	14 ^{+0.3/-0.1}	5.0 ^{+0.2/-0}

EE CORE




Dimension Part No.	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
EE19G	19.0±0.3	13.6±0.3	4.85±0.25	4.85±0.25	14.2min	11.3±0.3
EE19J	19.0±0.3	8.2±0.2	5.2 ^{+0/-0.4}	4.6±0.2	14.5±0.3	5.8±0.15
EE20	20.0±0.4	10.0±0.2	5.7±0.2	5.7±0.2	14.1min	7.2±0.2
EE20A	20.0±0.4	9.9±0.25	5.65±0.3	5.7±0.3	11.9min	7.2±0.25
EE20B	20.4 ^{0/-0.8}	11.2±0.2	5.9 ^{+0/-0.4}	5.9 ^{+0/-0.3}	14.1 ^{+0.6/-0}	8.4±0.2
EE20C	20.5±0.4	10.4±0.2	7.0±0.3	5.0±0.2	14.7min	7.0±0.2
EE20D	20.3±0.4	8.4±0.2	4.8±0.2	4.8±0.2	15.3min	6.2±0.2
EE20E	20.0±0.4	9.1±0.2	5.65±0.25	5.7±0.2	14.1min	6.3±0.2
EE20F	20.5±0.4	9.0±0.2	6.85±0.15	4.8±0.15	15.5min	6.45±0.2
EE20J	20 ^{+0.4/-0.3}	27.4±0.5	5.0±	4.55±0.2	14.3min	22.3±0.3
EE20H	20.0±0.3	13.6±0.2	4.8±0.2	4.7±0.3	14.5min	11.3±0.2
EE20H1	20.0±0.3	13.6±0.3	4.8±0.2	4.6±0.2	14.2min	11.3±0.2
EE20H2	20.0±0.3	13.6 ^{+0.6/-0.1}	4.8±0.2	4.6±0.2	14.2min	11.3±
EE20H3	20.0±0.3	13.6±0.3	4.8±0.2	4.6 ^{+0.1/-0.2}	14.3min	11.3±0.2
EE20H4	20.0±0.3	13.8±0.3	4.8±0.2	4.6±0.2	14.2min	11.4±0.2
EE22	22.0±0.4	9.4±0.2	5.75±0.25	5.75±0.25	12.8min	5.4±0.2
EE22A	22.0±0.4	9.7±0.2	5.75±0.25	5.75±0.25	16.0±0.4	5.6±0.2
EE22B	22.25±0.3	15.26±0.3	5.7±0.3	5.7±0.3	15.5min	11.2±0.3
EE22C	22.0±0.4	15.0±0.2	5.75±0.25	5.75±0.25	15.6min	11.0±0.2
EE22D	22.0±0.3	14.65±0.25	5.75±0.25	5.75±0.25	16.0min	10.8±0.2
EE24	24.0±0.4	11.1±0.2	7.7±0.2	6.6±0.2	16.5min	7.8±0.2
EE24A	24.0±0.4	9.0±0.2	7.7±0.2	6.6±0.2	16.5min	5.7±0.2
EE24B	24.0±0.3	8.0±0.2	7.7 ^{+0.15/-0.2}	6.6 ^{+0.15/-0.2}	17.1min	4.7±0.15
EE24C	24.0±0.3	8.5±0.2	7.7 ^{+0.15/-0.2}	6.6 ^{+0.15/-0.2}	17.1min	5.15±0.15
EE24.5	24.5±0.4	8.7±0.2	10.7±0.3	7.25±0.25	17min	4.6±0.2
EE24.5A	24.5±0.4	9.2±0.2	10.7±0.3	7.25±0.25	18.5min	5.6±0.2
EE25	25.0±0.4	12.55±0.25	7.25±0.25	7.2±0.25	17.5min	8.9±0.2

EE CORE




Dimension Part No.	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
EE25A	25.3±0.4	9.5±0.25	6.35±0.15	6.3±0.15	18.6min	6.35±0.25
EE25Aa	25.4±0.5	9.5±0.2	6.3±0.2	6.35±0.25	18.55min	6.6±0.2
EE25A2	25.3±0.4	9.7±0.3	6.35±0.15	6.3±0.15	18.6min	6.65±0.35
EE25B	25.4±0.4	10±0.2	6.6±0.3	6.2±0.2	18.5min	6.8±0.2
EE25E	25.4±0.4	15.85±0.3	6.35±0.3	6.35±0.2	19min	12.7±0.3
EE25E1	25.4±0.4	9.8±0.3	6.6±0.3	6.4±0.3	19min	6.4±0.3
EE25E2	25.6±0.5	10.0±0.3	6.35±0.3	6.35±0.3	18.8min	6.8±0.25
EE25F	24.9 ^{+0.2/-0.4}	9.3±0.3	10.75±0.25	7.25±0.25	18.3min	5.8±0.2
EE25G	25.5±0.5	9.6±0.2	6.27±0.2	6.27±0.2	19.5±0.5	6.5±0.2
EE25G1	25.5±0.5	9.85±0.2	6.27±0.2	6.27±0.2	19.5±0.5	6.75±0.15
EE25K	25.4±0.5	9.5 ^{+0/-0.3}	6.6±0.2	6.35±0.25	19.5±0.5	6.6±0.2
EE25U	25.05±0.75	12.55±0.25	7.2±0.3	7.25±0.25	17.9±0.4	8.95±0.25
EE25U1	25.05±0.75	12.55 ^{0.3/-0.1}	7.2±0.3	7.25±0.25	17.9±0.4	5.95 ^{+0.3/-0.1}
EE25Z	25 ^{+0.8/-0.7}	13.25±0.35	11 ^{+0/-0.5}	7.5 ^{+0/-0.5}	17.5 ^{+0.1/-0}	9.45±0.3
EE25Z1	25 ^{+0.8/-0.07}	12.8±0.25	7.2±0.3	7.5 ^{+0/-0.5}	17.5min	9.2±0.25
EE25Z2	25 ^{+0.8/-0.7}	12.55±0.25	7.25±0.25	7.5 ^{+0/-0.5}	17.5 ^{+0.1/-0}	8.85±0.25
EE25Z3	25 ^{+0.8/-0.7}	13.25±0.35	7.25±0.25	7.5 ^{+0/-0.5}	17.5 ^{+0.1/-0}	9.45±0.3
EE25Z4	25 ^{+0.8/-0.7}	12.8 ^{+0/-0.5}	11 ^{+0/-0.5}	7.5 ^{+0/-0.5}	17.5 ^{+0.8/-0}	8.7 ^{+0.5/-0}
EE25ZZ	25 ^{+0.8/-0.7}	12.8 ^{+0/-0.5}	11 ^{+0/-0.5}	7.5 ^{+0/-0.5}	17.5 ^{+0.1/-0}	8.7 ^{+0.5/0}
EE26	26.1±0.4	10.0±0.3	10.75±0.25	7.25±0.25	18.6min	6.5±0.2
EE26A	26.0 ^{+0.25/-0.45}	9.7 ^{+0.2/-0.1}	9.75±0.15	8.4±0.2	18.45±0.25	5.8 ^{+0.15/-0.1}
EE27	26.8±0.3	11.05±0.15	11.1±0.2	7.3±0.2	19.6±0.3	7.35±0.175
EE27A	26.8±0.3	10.7±0.15	11.1±0.2	7.3±0.2	19.6±0.3	7.0±0.175
EE27A1	26.8±0.3	12.5±0.15	11.1±0.2	7.3±0.2	19.6±0.3	8.8±0.175
EE28	28.4±0.4	14.2±0.2	10.1±0.2	7.3±0.3	20.0min	9.7±0.2
EE28A	28.0±0.4	10.6±0.3	10.7±0.3	7.25±0.25	18.6min	6.3±0.2
EE28B	28.2 ^{+0.35/-0.45}	13.75±0.2	10.7±0.2	7.9±0.2	20.2min	9.9±0.15

EE CORE




Dimension Part No.	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
EE28C	28.0±0.4	9.65±0.2	10.7±0.3	7.2±0.3	18.6min	6.15±0.15
EE28D	28.0±0.5	17.5±0.3	10.7±0.3	7.2±0.3	18.9min	12.8±0.3
EE28E	28.5±0.4	10.7±0.25	10.8±0.3	7.15±0.2	20.4min	6.65±0.25
EE28F	28.0±0.4	10.5±0.2	10.7±0.25	7.2±0.25	19.0 ^{+0.4/-0.2}	6.2±0.2
EE28G	28.0±0.4	11.75±0.2	10.7±0.25	7.2±0.25	19.0 ^{+0.4/-0.2}	7.45±0.2
EE28G1	28.0±0.4	11.95±0.2	10.7±0.25	7.2±0.25	19.0 ^{+0.4/-0.2}	7.65±0.2
EE28J	28.0±0.4	8.4±0.2	10.0±0.3	7.2±0.25	20.4min	5.35±0.2
EE29	28.5±0.4	11.0±0.2	11.0±0.2	7.15±0.2	18.8±0.4	6.75±0.2
EE29A	29.0±0.5	19.2±0.3	7.77±0.15	10.16±0.2	20.4min	14.1±0.25
EE29B	28.5±0.4	14.45±0.2	11.0±0.2	7.15±0.2	19.5min	6.65±0.25
EE30	30.±0.5	15.0±0.2	7.05±0.25	6.95±0.25	21.9min	10.0±0.3
EE30A	30.±0.5	13.1±0.2	9.4±0.3	9.4±0.25	21.9min	8.6±0.3
EE30A1	30.±0.5	16.8±0.3	9.4±0.3	9.4±0.25	19.5min	12.3±0.3
EE30B	30.±0.5	13.2±0.2	10.7±0.3	10.7±0.3	19.5min	8.1±0.2
EE30B1	30.±0.5	13.2±0.2	10.7±0.3	10.7±0.3	19.5min	8.2±0.2
EE30B2	30.±0.5	13.45±0.2	10.7±0.3	10.7±0.3	19.5min	8.35±0.2
EE30B3	30.±0.5	13.3±0.3	10.7±0.3	10.7±0.3	19.6min	8.3±0.3
EE30D	30.0±0.6	13.3±0.25	10.65±0.3	10.1±0.3	20.0±0.4	8.3±0.2
EE32	31.9±0.5	14.0±0.3	12.7±0.3	8.9±0.25	22.0min	9.65±0.25
EE32B	32.1±0.8	16.4 ^{+0/-0.6}	95 ^{+0/-0.7}	9.5 ^{+0/-0.6}	22.7 ^{+1.0/-0}	11.2 ^{+0.6/-0.2}
EE32B1	32 ^{+0.6/-0}	16.1±0.3	95 ^{+0/-0.6}	9.2±0.3	22.7 ^{+0.1/-0}	11.5±0.3
EE33	33.2±0.5	14.0±0.3	12.7±0.3	9.7±0.3	23.5min	9.65±0.25
EE33A	33.2±0.5	14.15±0.25	12.7±0.3	9.7±0.3	23.5min	9.65±0.25
EE33B	33.0±0.4	17.5±0.2	12.7±0.2	9.7±0.3	23.6min	13±0.2
EE34	34.4±0.5	13.9±0.3	9.2±0.3	9.2±0.3	25.4min	9.95±0.25
EE35B	34.9±0.6	17.6±0.3	9.9±0.3	9.9±0.3	24.9min	12.6±0.3
EE35D	35±0.5	17.5±0.25	10.0±0.3	10.0±0.3	24.5min	12.5±0.25

EE CORE




Dimension Part No.	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
EE36	36.0±0.5	21.5±0.2	11.7±0.3	10.0±0.25	24.5min	16.0±0.3
EE36A	36±1.1	18.0±0.45	10.1 +0/-0.7	10.1 +0/-0.7	25.8min	13 +0.7/-0
EE41	41.3±0.5	16.8±0.2	12.7±0.25	12.7±0.25	28min	10.4±0.15
EE42	42±0.7	21.2 +0.1/-0.4	20.0±0.2	12.0±0.25	29.5min	15.1±0.3
EE42A	42±0.7	21.2 +0.1/-0.4	15.0±0.2	12.0±0.25	29.5min	15.1±0.3
EE42A1	42.0±0.7	13.6±0.2	15.0±0.2	12.0±0.25	29.5min	7.75±0.35
EE42A2	43 +0/-1.7	21.0±0.2	15.2 +0/-0.6	11.95±0.25	29.5 +1.4/-0	14.8 +0.6/-0
EE42B	42 +1.0/-0.7	21±0.2	14.95±0.35	11.95±0.25	29 +1.2/-0	15.15±0.35
EE42C	41.5±1.0	16.8±0.3	12.7±0.25	12.7±0.3	28.55min	10.4±0.25
EE43	43 +0/-1.7	21 +0/-0.4	20 +0/-1.0	12.2 +0/-0.5	29.5 +1.2/-0	14.8 +0.7/-0
EE49	48.8±0.7	20.6±0.3	15.6±0.3	15.6±0.25	31.8min	12.1±0.2
EE50	50.0±0.7	21.3±0.3	14.6±0.4	14.6±0.4	34.6±0.4	12.75±0.25
EE55	55.15±1.05	27.5±0.3	20.7±0.3	16.95±0.25	38.1±0.6	18.8±0.3
EE55A	55.0 +1.2/-0.9	27.8 +0/-0.6	25 +0/-0.6	17.2 +0/-0.5	37.5 +1.2/-0	18.5 +0.8/-0
EE56	55	28.0±0.25	25.0±0.25	17.2±0.2	37.5±	19.0±0.2
EE56A	56.1±0.7	23.6±0.2	18.86±0.3	18.86±0.3	37.5min	14.6±0.25
EE63	63.0±1.0	31±0.25	6.1±0.2	25.3±0.5	37.6min	18.7±0.25
EE65	65.15±1.35	32.5±0.3	27.1±0.3	19.65±0.35	44.95±0.75	22.5±0.35
EE70	70.5±1.0	32.95±0.25	31.6±0.4	21.65±0.35	48 +1.5/-0	22.25±0.35
EE70A	70.5±1.0	33.2 +0 /-0.5	20±0.25	22 +0/-0.7	48 +1.5/-0	21.9 +0.7/-0

EE CORE




Part No.	Dimension (mm-1)	Le (mm)	Ae (mm ²)	(g) Weight	AL(±25% n H) SF-40
EE6.3	3.7	12.2	3.3	0.25	405
EE8	2.74	19.2	7	0.75	590
EE8A	2.75	20.2	7.4	0.75	
EE9	0.36	20.7	7.5	0.78	
EE10	2.48	27.3	11	1.5	840
EE10B	3.87	25	6.5		
EE13	1.72	30.8	17.9	2.8	1100
EE13A	2.27	29.5	13	2	800
EE13A1	2.27	29.6	13	2	
EE13A2	2.31	29.6	12.8	1.9	
EE13B	1.37	28.6	20.8	3.1	1000
EE13C	1.33	30.2	22.7	3.3	1400
EE13C1	1.77	30.2	17.1	2.6	1100
EE13D	1.83	30.8	16.8	2.6	1100
EE13D1	1.87	31.3	16.7	3	
EE13D2	1.89	31.9	16.9	2.7	
EE13E	1.72	30.7	17.8	2.8	1100
EE13F	0.84	29	35.4	5.4	

EE CORE




Part No.	Dimension C (mm)	Le (mm)	Ae (mm)	(g) Weight	AL(25%nH) SF-40
EE13G	1.85	30.3	16.4	2.5	
EE13H	1.32	24.1	18.2	2.3	
EE14	1.38	20.7	15	1.7	1100
EE14A	1.59	28.4	17.8	2	
EE16	18.3	37.1	19	3.5	1200
EE16A	1.87	37.6	20.1	4	1050
EE16B	2.92	55.8	19.1	5.4	750
EE16B1	2.92	55.8	19.1	19.1	5.4
EE16B2	2.92	55.8	19.1	5.4	700
EE16B3	3.05	45.3	14.8	3.7	
EE16B4	2.83	55.2	19.5	5.4	
EE16C	0.9	29.1	32.5	4.9	2000
EE16D	2.85	55.6	19.6	5.4	900
EE16F	1.72	32.1	18.7	3	1200
EE16G	1.34	35.8	26.6	4.7	1550
EE16G1	1.91	34.5	18.6	3.3	
EE16H	0.59	23.8	40	4.9	2800
EE16I	1.83	35.7	19.5	3.5	1200
EE16I1	1.83	35.7	19.5	3.5	1200
EE16J	1.85	36.1	19.5	3.5	1200
EE16L	1.65	36.6	22.2	4.1	1450
EE17	2.85	56.9	20	5.6	800
EE19	1.8	40.2	22.3	4.6	1300
EE19A	2.71	62.6	23.1	8	820
EE19B	1.65	40.2	24.3	4.8	1200
EE19B1	1.75	40.8	23.2	4.8	

EE CORE




Part No.	Dimension C (mm)	Le (mm)	Ae (mm)	(g) Weight	AL(25%nH) SF-40
E19C	0.86	39.5	45.8	8.7	2400
EE19D	1.83	40.6	22.1	4.6	1200
EE19E	1.7	39.7	23.4	4.8	1250
EE19E1	1.95	39.7	24.1	4.8	1250
EE19E2	1.79	39.7	22.1		
EE19E3	1.72	39.3	22.9	4.2	
EE19E4	1.82	40	21.9	4.4	
EE19F	0.99	37.3	37.6	7	2200
EE19G	2.75	62.1	22.5	7	
EE19J	1.75	40.4	23.1		
EE20	1.45	46	32	7.3	1400
EE20A	1.34	44.9	33.5	8.2	2100
EE20B	1.58	51.1	32.2	8.3	
EE20C	1.2	46.9	39.1	9.7	
EE20D	1.94	42.8	22	4.8	1400
EE20E	1.34	42.7	31.8	6.9	1600
EE20F	1.34	44.5	33.3	7.5	1400
EE20J	4.05	106	26.2	15	
EE20H	2.69	62.6	23.3	7.3	900
EE20H1	2.65	62.2	23.4	7.4	900
EE20H2	2.71	63.3	23.3	7.5	
EE20H3	2.67	62.2	23.3	7.4	
EE20H4	2.65	62.8	23.7	7.5	
EE22	0.98	39.8	40.8	9.2	2300
EE22A	1.15	42.9	37.2	8.5	2150
EE22B	1.79	65.1	36.4	12.2	1600
EE22C	1.8	64.3	35.8	12.2	1400
EE22D	1.82	63.5	34.9		

EE CORE




Part No.	Dimension C (mm)	Le (mm)	Ae (mm)	(g) Weight	AL(25%nH) SF-40
EE24	1	52	52.1	13.8	2700
EE24A	0.84	43.6	52	11.6	2900
EE24B	0.79	40	50.6	10.5	2450
EE24C	0.83	41.8	50.6	10.7	2500
EE24.5	0.5	40.5	80.7	17.1	3420
EE24.5A	0.63	44.2	70.2	16.5	3500
EE25	1.11	57.7	51.8	16	2100
EE25A	1.2	48	40	9.7	2000
EE25Aa	1.21	48.9	40.3	9.8	
EE25A2	1.24	49	39.5	10	
EE25B	1.2	50	41.8	10.6	1900
EE25E	1.82	73.4	40.4	14.5	1450
EE25E1	1.15	48.7	42.2	10.5	1800
EE25E2	1.24	50.1	40.3	12.8	
EE25F	0.62	45.1	72.8	17	3700
EE25G	1.27	48.9	38.6	9.2	2000
EE25G1	1.29	49.9	38.6	9.4	
EE25K	1.22	48.2	39.6	9.7	2000
EE25U	1.11	57.7	51.8	14.8	
EE25U1	1.12	58.1	51.8	14.9	
EE25Z	0.78	60.1	77.2	23.6	3000
EE25Z1	1.16	58.9	50.9	15.5	3250
EE25Z2	1.1	57.6	52.2	15.5	3200
EE25Z3	1.14	60.1	52.5	16	2000
EE25Z4	0.74	57.7	77	22.5	
EE25ZZ	0.77	60.1	78.1	23.7	
EE26	0.64	48.9	76.4	19.1	3250
EE26A	0.59	45.6	76.7	17.8	3800

EE CORE



Part No.	Dimension C (mm)	Le (mm)	Ae (mm)	(g) Weight	AL(25%nH) SF-40
EE27	0.66	53.2	81	22	3550
EE27A	0.64	51.8	81	21.4	3300
EE27A1	0.73	59	81		
EE28	0.82	64.6	79.2	26.5	3000
EE28A	0.57	49.7	87.5	23	3800
EE28B	0.78	64.3	82.9	27	3250
EE28C	0.58	47.4	81.6	20.2	
EE28D	0.85	75.7	88.1	33.6	2600
EE28E	0.63	52.3	82.6	22	2600
EE28F	0.57	49.4	87.1	22.1	
EE28G	0.63	54.3	86.8	25	
EE28G1	0.64	55.1	86.8	25.5	
EE28J	0.65	44.8	68.7	16.2	
EE29	0.62	52.9	85.4	23.6	3850
EE29A	1.02	80.4	79.1	32.5	2400
EE29B	0.63	52	82.3	22	3400
EE30	1.1	65.6	59.7	22	1950
EE30A	0.74	61.1	82.9	26	3300
EE30A1	0.92	75.8	82.2	32	3300
EE30B	0.53	57.8	110	33	4200
EE30B1	0.53	58	109	33	4200
EE30B/30B1	0.52	57.7	110.5	33	
EE30B2	0.53	58.8	110	33.5	4100
EE30B3	0.54	58.5	109	33	
EE30D	0.55	58.8	107	32	
EE32	0.58	66.2	114.3	38.5	4300
EE32B	0.89	74.3	83.2	31.3	2500
EE32B1	0.89	74.3	83.6	32	

EE CORE



Part No.	Dimension C (mm)	Le (mm)	Ae (mm)	(g) Weight	AL(25%nH) SF-40
EE33	0.57	67	117.1	39.8	4300
EE33A	0.55	66.8	121	41.6	4300
EE33B	0.69	80.6	117	47.8	
EE34	0.89	69.4	78	27.6	2900
EE35B	0.7	84.7	122	38.8	
EE35D	0.81	80.7	100	40.8	
EE36	0.77	95.7	124		
EE36A	0.94	85.2	90.5	39.2	
EE41	0.48	77.5	161	64.96	4500
EE42	0.42	97	233	116	5000
EE42A	0.55	97	178	86.7	4500
EE42A1	0.38	67.7	177	62	6000
EE42A2	0.55	97.3	177	87.2	
EE42B	0.55	97.9	178	89	4700
EE42C	0.49	78.1	159	63.8	
EE43	0.42	97.4	232		
EE49	0.36	91	254.3	120.1	6800
EE50	0.42	95.9	228	113.5	6100
EE55	0.35	123	355	217	6800
EE55A	0.29	123	424	265	
EE56	0.28	125	441	272	9000
EE56A	0.32	106	337	187	
EE63	0.84	127	151	100	3000
EE65	0.28	147	532	402	8400
EE70	0.22	150	686	506	10000
EE70A	0.34	149	437	324.7	