



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5,NO. 18, LANE 609, SEC.5,CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL:+886-2-2999-6599 FAX:+886-2-2999-6614 e-mail: leon@pactw.com.tw http://www.pactw.com

BATTERY CELL LIST

DATE : 3-Oct-06

LITHIUM ION Rechargeable BATTERY CELL (Li-Ion)

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.4	W±0.5	L±0.5			
1.	EBL033448S	033448S	3.1	34.0	48.0	500	3.7V	Li-Ion
2.	EBL033455S	033455S	3.1	34.0	55.0	550	3.7V	Li-Ion
3.	EBL384550S	384550S	4.1	45.0	50.0	500	3.7V	Li-Ion
4.	EBL93048S2	393048S2	4.2	30.0	48.0	500	3.7V	Li-Ion
5.	EBL043040S	043040S	4.1	30.0	40.0	400	3.7V	Li-Ion
6.	EBL043048S	043048S	4.1	30.0	48.0	500	3.7V	Li-Ion
7.	EBL043048S3	043048S3	4.1	30.0	48.0	600	3.7V	Li-Ion
8.	EBL483048S	483048S	5.1	30.0	48.0	600	3.7V	Li-Ion
9.	EBL053040S	053040S	5.3	30.0	40.0	480	3.7V	Li-Ion
10.	EBL053048S	053048S	5.3	30.0	48.0	600	3.7V	Li-Ion
11.	EBL053048S2	053048S2	5.0	30.0	48.0	650	3.7V	Li-Ion
12.	EBL053436S2	053436S2	5.0	34.0	36.0	480	3.7V	Li-Ion
13.	EBL053465S	053465S	5.1	34.0	65.0	850	3.7V	Li-Ion
14.	EBL551758S	551758S	5.5	17.0	58.0	420	3.7V	Li-Ion
15.	EBL583048S	583048S	6.1	30.0	48.0	700	3.7V	Li-Ion
16.	EBL583048S2	583048S2	6.1	30.0	48.0	750	3.7V	Li-Ion
17.	EBL053448S	053448S	5.0	34.0	48.0	650	3.7V	Li-Ion
18.	EBL063040S	063040S	6.0	30.0	40.0	650	3.7V	Li-Ion
19.	EBL063048S	063048S	6.0	30.0	48.0	700	3.7V	Li-Ion
20.	EBL063048S2	063048S2	6.0	30.0	65.0	750	3.7V	Li-Ion
21.	EBL063065S	063065S	6.0	30.0	36.0	950	3.7V	Li-Ion
22.	EBL063436S	063436S	6.0	34.0	48.0	580	3.7V	Li-Ion
23.	EBL063448S	063448S	6.0	34.0	48.0	850	3.7V	Li-Ion
24.	EBL063448SR	063448SR	6.0	34.0	48.0	850	3.7V	Li-Ion
25.	EBL063448S2	063448S2	6.0	34.0	65.0	900	3.7V	Li-Ion
26.	EBL063465S	063465S	6.0	34.0	23.0	1100	3.7V	Li-Ion
27.	EBL072523S	072523S	7.0	25.0	46.0	300	3.7V	Li-Ion
28.	EBL073446S	073446S	7.0	34.0	47.0	850	3.7V	Li-Ion
29.	EBL082247S	082247S	8.0	22.0	40.0	600	3.7V	Li-Ion
30.	EBL083040S	083040S	8.1	30.0	46.0	800	3.7V	Li-Ion
31.	EBL083046S	083046S	8.1	30.0	48.0	950	3.7V	Li-Ion
32.	EBL083048ST	083048ST	8.0	30.0	48.0	900	3.7V	Li-Ion
33.	EBL083048ST2	083048ST2	8.0	30.0	48.0	950	3.7V	Li-Ion
34.	EBL083448ST2	083448ST2	8.0	34.0	48.0	1050	3.7V	Li-Ion
35.	EBL083448ST2	083448ST2	8.0	34.0	68.0	1050	3.7V	Li-Ion
36.	EBL862941S	862941S	8.7	29.0	41.0	950	3.7V	Li-Ion
37.	EBL091941S	091941S	9.2	19.0	41.0	580	3.7V	Li-Ion
38.	EBL093046S	093046S	8.8	30.0	46.0	950	3.7V	Li-Ion
39.	EBL093448ST2	093448ST2	8.9	34.0	48.0	1200	3.7V	Li-Ion
40.	EBL093648S	093648S	9.3	36.0	48.0	500	3.7V	Li-Ion



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5, NO. 18, LANE 609, SEC.5, CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL: +886-2-2999-6599 FAX: +886-2-2999-6614 e-mail: leon@pactw.com.tw <http://www.pactw.com>**LITHIUM ION Rechargeable BATTERY CELL (Li-Ion)**

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.4	W±0.5	L±0.5			
41.	EBL103448S	103448S	10.1	34.0	48.0	1450	3.7V	Li-Ion
42.	EBL103465S	103465S	10.1	34.0	65.0	1800	3.7V	Li-Ion
43.	EBL144060SF	144060SF	14.0	40.0	60.0	3200	3.7V	Li-Ion
44.	EBL343450A	343450A	3.7	34.0	50.0	530	3.7V	Li-Ion
45.	EBL363048A	363048A	3.9	30.0	48.0	500	3.7V	Li-Ion
46.	EBL363448A	363448A	3.9	34.0	48.0	560	3.7V	Li-Ion
47.	EBL363449A	363449A	3.9	34.0	49.0	570	3.7V	Li-Ion
48.	EBL363450AB	363450AB	3.9	34.0	50.0	540	3.7V	Li-Ion
49.	EBL363450A	363450A	3.9	34.0	50.0	570	3.7V	Li-Ion
50.	EBL363450A1	363450A1	3.9	34.0	50.0	600	3.7V	Li-Ion
51.	EBL363450A2	363450A2	3.9	34.0	50.0	630	3.7V	Li-Ion
52.	EBL363450AM	363450AM	3.9	34.0	50.0	650	3.7V	Li-Ion
53.	EBL383448A	383448A	4.1	34.0	48.0	600	3.7V	Li-Ion
54.	EBL383450A	383450A	4.1	34.0	50.0	600	3.7V	Li-Ion
55.	EBL383450A2	383450A2	4.1	34.0	50.0	650	3.7V	Li-Ion
56.	EBL383450AM	383450AM	4.1	34.0	50.0	700	3.7V	Li-Ion
57.	EBL383450AHK	383450AHK	4.1	34.0	50.0	750	3.7V	Li-Ion
58.	EBL393048A	393048A	4.2	30.0	48.0	520	3.7V	Li-Ion
59.	EBL393048A1	393048A1	4.2	30.0	48.0	550	3.7V	Li-Ion
60.	EBL393048A2	393048A2	4.2	30.0	48.0	570	3.7V	Li-Ion
61.	EBL393048AM	393048AM	4.2	30.0	48.0	600	3.7V	Li-Ion
62.	EBL393048AM1	393048AM1	4.2	30.0	48.0	630	3.7V	Li-Ion
63.	EBL393442A	393442A	4.2	34.0	42.0	550	3.7V	Li-Ion
64.	EBL393448AR	393448AR	4.2	34.0	48.0	650	3.7V	Li-Ion
65.	EBL043046A	043046A	4.3	30.0	46.0	550	3.7V	Li-Ion
66.	EBL413447A	413447A	4.4	34.0	47.0	650	3.7V	Li-Ion
67.	EBL413450A	413450A	4.4	34.0	50.0	650	3.7V	Li-Ion
68.	EBL413450AR	413450AR	4.4	34.0	50.0	700	3.7V	Li-Ion
69.	EBL413450A1	413450A1	4.4	34.0	50.0	700	3.7V	Li-Ion
70.	EBL413450A2	413450A2	4.4	34.0	50.0	730	3.7V	Li-Ion
71.	EBL413450AM	413450AM	4.4	34.0	50.0	780	3.7V	Li-Ion
72.	EBL413450AK	413450AK	4.4	34.0	50.0	700	3.7V	Li-Ion
73.	EBL413450AK1	413450AK1	4.4	34.0	50.0	800	3.7V	Li-Ion
74.	EBL422136A	422136A	4.5	21.0	36.0	260	3.7V	Li-Ion
75.	EBL423040A	423040A	4.5	30.0	40.0	450	3.7V	Li-Ion
76.	EBL423040AH	423040AH	4.5	30.0	40.0	550	3.7V	Li-Ion
77.	EBL423048A	423048A	4.5	30.0	48.0	550	3.7V	Li-Ion
78.	EBL423048A1	423048A1	4.5	30.0	48.0	600	3.7V	Li-Ion
79.	EBL423048A2	423048A2	4.5	30.0	48.0	650	3.7V	Li-Ion
80.	EBL423048AK	423048AK	4.5	30.0	48.0	680	3.7V	Li-Ion
81.	EBL423048AHK	423048AHK	4.5	30.0	48.0	700	3.7V	Li-Ion
82.	EBL423048AM	423048AM	4.5	30.0	48.0	680	3.7V	Li-Ion
83.	EBL423440A	423440A	4.5	34.0	40.0	600	3.7V	Li-Ion
84.	EBL423443A	423443A	4.5	34.0	43.0	650	3.7V	Li-Ion



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5,NO. 18, LANE 609, SEC.5,CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL:+886-2-2999-6599 FAX:+886-2-2999-6614 e-mail: leon@pactw.com.tw http://www.pactw.com

LITHIUM ION Rechargeable BATTERY CELL (Li-Ion)

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.4	W±0.5	L±0.5			
85.	EBL423443A1	423443A1	4.6	34.0	43.0	700	3.7V	Li-Ion
86.	EBL423448A	423448A	4.5	34.0	48.0	650	3.7V	Li-Ion
87.	EBL423448A1	423448A1	4.5	34.0	48.0	700	3.7V	Li-Ion
88.	EBL423450AK	423450AK	4.5	34.0	50.0	830	3.7V	Li-Ion
89.	EBL433450A	433450A	4.6	34.0	50.0	720	3.7V	Li-Ion
90.	EBL433450AM	433450AM	4.6	34.0	50.0	850	3.7V	Li-Ion
91.	EBL443347A	443347A	4.6	33.0	47.0	710	3.7V	Li-Ion
92.	EBL453042A	453042A	0.8	30.0	42.0	590	3.7V	Li-Ion
93.	EBL453436A	453436A	4.7	34.0	36.0	550	3.7V	Li-Ion
94.	EBL463436A	463436A	4.9	34.0	36.0	500	3.7V	Li-Ion
95.	EBL463443A	463443A	4.9	34.0	43.0	730	3.7V	Li-Ion
96.	EBL473136AR	473136AR	5.0	31.0	36.0	500	3.7V	Li-Ion
97.	EBL483040A	483040A	5.1	30.0	40.0	510	3.7V	Li-Ion
98.	EBL483048A	483048A	5.1	30.0	48.0	650	3.7V	Li-Ion
99.	EBL483048A2	483048A2	5.1	30.0	48.0	750	3.7V	Li-Ion
100.	EBL483427A	483427A	5.1	34.0	27.0	400	3.7V	Li-Ion
101.	EBL483436A	483436A	5.1	34.0	36.0	500	3.7V	Li-Ion
102.	EBL483440A	483440A	5.1	34.0	40.0	660	3.7V	Li-Ion
103.	EBL053040A	053040A	5.4	30.0	40.0	650	3.7V	Li-Ion
104.	EBL053048A	053048A	5.3	30.0	48.0	700	3.7V	Li-Ion
105.	EBL053048A1	053048A1	5.3	30.0	48.0	750	3.7V	Li-Ion
106.	EBL053048A2	053048A2	5.3	30.0	48.0	800	3.7V	Li-Ion
107.	EBL053438A	053438A	5.3	34.0	38.0	650	3.7V	Li-Ion
108.	EBL053449A	053449A	5.3	34.0	49.0	900	3.7V	Li-Ion
109.	EBL053450A	053450A	5.3	34.0	50.0	850	3.7V	Li-Ion
110.	EBL053450A1	053450A1	5.3	34.0	50.0	900	3.7V	Li-Ion
111.	EBL053450AK	053450AK	5.3	34.0	50.0	900	3.7V	Li-Ion
112.	EBL523450A	523450A	5.5	34.0	50.0	1000	3.7V	Li-Ion
113.	EBL523450AK	523450AK	5.5	34.0	50.0	1070	3.7V	Li-Ion
114.	EBL523450A1	523450A1	5.5	34.0	50.0	1100	3.7V	Li-Ion
115.	EBL053450AR	053450AR	5.3	34.0	50.0	850	3.7V	Li-Ion
116.	EBL053450AR1	053450AR1	5.3	34.0	50.0	900	3.7V	Li-Ion
117.	EBL053442AR	053442AR	5.3	34.0	42.0	700	3.7V	Li-Ion
118.	EBL053442AR1	053442AR1	5.4	34.0	42.0	730	3.7V	Li-Ion
119.	EBL053442AR2	053442AR2	5.3	34.0	42.0	800	3.7V	Li-Ion
120.	EBL053445A	053445A	5.3	34.0	45.0	850	3.7V	Li-Ion
121.	EBL513048AH	513048AH	5.4	30.0	48.0	850	3.7V	Li-Ion
122.	EBL523035AR	523035AR	5.5	30.0	35.0	500	3.7V	Li-Ion
123.	EBL523436A	523436A	5.5	34.0	36.0	550	3.7V	Li-Ion
124.	EBL523436A1	523436A1	5.5	34.0	36.0	650	3.7V	Li-Ion
125.	EBL523436A2	523436A2	5.5	34.0	36.0	700	3.7V	Li-Ion
126.	EBL523348A	523348A	5.5	33.0	48.0	850	3.7V	Li-Ion
127.	EBL543136AR	543136AR	5.5	31.0	36.0	600	3.7V	Li-Ion



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5,NO. 18, LANE 609, SEC.5,CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL:+886-2-2999-6599 FAX:+886-2-2999-6614 e-mail: leon@pactw.com.tw <http://www.pactw.com>

LITHIUM ION Rechargeable BATTERY CELL (Li-Ion)

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.4	W±0.5	L±0.5			
128.	EBL581946A	581946A	6.1	19.0	46.0	450	3.7V	Li-Ion
129.	EBL063436A	063436A	6.3	34.0	36.0	700	3.7V	Li-Ion
130.	EBL063448A	063448A	6.3	34.0	48.0	850	3.7V	Li-Ion
131.	EBL063448AR	063448AR	6.4	34.0	48.0	950	3.7V	Li-Ion
132.	EBL063450AR	063450AR	6.4	34.0	50.0	950	3.7V	Li-Ion
133.	EBL063450AR1	063450AR1	6.4	34.0	50.0	1000	3.7V	Li-Ion
134.	EBL613048AB	613048AB	6.4	30.0	48.0	800	3.7V	Li-Ion
135.	EBL613048AM	613048AM	6.4	30.0	48.0	1000	3.7V	Li-Ion
136.	EBL613048A	613048A	6.4	30.0	48.0	850	3.7V	Li-Ion
137.	EBL613048A1	613048A1	6.1	30.0	48.0	900	3.7V	Li-Ion
138.	EBL613048A2	613048A2	6.1	30.0	48.0	950	3.7V	Li-Ion
139.	EBL753048A	753048A	7.8	30.0	48.0	1050	3.7V	Li-Ion
140.	EBL756550A	756550A	7.8	65.0	50.0	2400	3.7V	Li-Ion
141.	EBL763448A	763448A	7.9	34.0	48.0	1300	3.7V	Li-Ion
142.	EBL783440A	783440A	8.1	34.0	40.0	1000	3.7V	Li-Ion
143.	EBL783440A1	783440A1	8.1	34.0	40.0	1050	3.7V	Li-Ion
144.	EBL083436A	083436A	8.4	34.0	36.0	1050	3.7V	Li-Ion
145.	EBL093834AR	093834AR	9.1	38.0	34.0	1100	3.7V	Li-Ion
146.	EBL093834AR1	093834AR1	9.1	38.0	34.0	1200	3.7V	Li-Ion
147.	EBL923437A	923437A	9.5	34.0	37.0	1250	3.7V	Li-Ion
148.	EBL103450AR	103450AR	10.4	34.0	50.0	1600	3.7V	Li-Ion
149.	EBL103450AR1	103450AR1	10.4	34.0	50.0	1700	3.7V	Li-Ion

**Li-Ion Rechargeable Battery Series
Cylindrical type BATTERY CELL**

NO.	P/N.	MODEL	Diameter ±0.2(mm)	Height ±0.5(mm)	Capacity (mAh)	Batt Type	Batt Type
1.	EBL10280-0180	10280	10.2	28.5	180	3.7V	Li-Ion
2.	EBL10440-0320	10440	10.2	43.7	320	3.7V	Li-Ion
3.	EBL14250-0300	14250	14.1	24.7	300	3.7V	Li-Ion
4.	EBL14270-0310	14270	14.1	26.7	310	3.7V	Li-Ion
5.	EBL14430-0600	14430	14.1	42.7	600	3.7V	Li-Ion
6.	EBL14500-0700	14500	14.1	48.7	700	3.7V	Li-Ion
7.	EBL14650-1000	14650	14.1	64.7	1000	3.7V	Li-Ion
8.	EBL16340-0600	16340	16.5	33.7	600	3.7V	Li-Ion
9.	EBL17300-0650	17300	16.8	29.7	650	3.7V	Li-Ion
10.	EBL17335-0750	17335	16.8	33.5	750	3.7V	Li-Ion
11.	EBL17360-0750	17360	16.8	35.7	750	3.7V	Li-Ion
12.	EBL17500-1000	17500	16.8	49.7	1000	3.7V	Li-Ion
13.	EBL17670-1400	17670	16.8	66.7	1400	3.7V	Li-Ion



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5, NO. 18, LANE 609, SEC.5, CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL: +886-2-2999-6599 FAX: +886-2-2999-6614 e-mail: leon@pactw.com.tw <http://www.pactw.com>

Li-Ion Rechargeable Battery Series
Cylindrical type BATTERY CELL

NO.	P/N.	MODEL	Diameter ±0.2(mm)	Height ±0.5(mm)	Capacity (mAH)	Batt Type	Batt Type
14.	EBL18490-1250	18490	18.2	48.7	1250	3.7V	Li-Ion
15.	EBL18490-1300	18490	18.2	48.7	1300	3.7V	Li-Ion
16.	EBL18650-1800	18650	18.2	64.7	1800	3.7V	Li-Ion
17.	EBL18650-1900	18650	18.2	64.7	1900	3.7V	Li-Ion
18.	EBL18650-2000	18650	18.2	64.7	2000	3.7V	Li-Ion
19.	EBL18650-2200	18650	18.2	64.7	2200	3.7V	Li-Ion
20.	EBL18650-2400	18650	18.2	64.7	2400	3.7V	Li-Ion

Ni-MH Rechargeable Battery Series
NICKEL METAL HYDRIDE BATTERY CELL (NI-MH)

NO.	P/N.	MODEL	Diameter ±0.2(mm)	Height ±0.5(mm)	Capacity (mAH)	Voltage (V)	Batt Type
1.	EBHAAA600	AAA	10.0	43.5	600	1.2V	NI-MH
2.	EBHAAA650	AAA	10.0	43.5	650	1.2V	NI-MH
3.	EBHAAA700	AAA	10.0	43.5	700	1.2V	NI-MH
4.	EBHAAA800	AAA	10.0	43.5	800	1.2V	NI-MH
5.	EBHAAA850	AAA	10.0	43.5	850	1.2V	NI-MH
6.	EBH5/4AAA750	5/4AAA	10.0	50.5	750	1.2V	NI-MH
7.	EBH4/5AAA500	4/5AAA	10.0	37.5	500	1.2V	NI-MH
8.	EBH2/3AAA300	2/3AAA	10.0	27.5	300	1.2V	NI-MH
9.	EBH1/2AAA230	1/2AAA	10.0	23.5	230	1.2V	NI-MH
10.	EBH1/2AAA300	1/2AAA	10.0	23.5	300	1.2V	NI-MH
11.	EBH1/3AAA120	1/3AAA	10.0	14.6	120	1.2V	NI-MH
12.	EBH1/4AAA70	1/4AAA	10.0	10.5	70	1.2V	NI-MH
13.	EBH1/4AAA80	1/4AAA	10.0	10.5	80	1.2V	NI-MH
14.	EBHAA1800	AA	14.2	48.8	1800	1.2V	NI-MH
15.	EBHAA2000	AA	14.2	48.8	2000	1.2V	NI-MH
16.	EBHAA2200	AA	14.2	48.8	2200	1.2V	NI-MH
17.	EBHAA1100	AA	13.9	48.0	1100	1.2V	NI-MH
18.	EBHAA1200	AA	13.9	48.0	1200	1.2V	NI-MH
19.	EBHAA1300	AA	13.9	48.0	1300	1.2V	NI-MH
20.	EBHAA1500	AA	13.9	48.0	1500	1.2V	NI-MH
21.	EBHAA1600	AA	13.9	48.0	1600	1.2V	NI-MH
22.	EBHAA1700	AA	13.9	48.0	1700	1.2V	NI-MH
23.	EBH7/5AA1800	7/5AA	13.9	64.5	1800	1.2V	NI-MH
24.	EBH4/5AA1200	4/5AA	13.9	42.6	1200	1.2V	NI-MH
25.	EBH2/3AA600	2/3AA	13.9	28.1	600	1.2V	NI-MH
26.	EBH2/3AA700	2/3AA	13.9	28.1	700	1.2V	NI-MH
27.	EBH1/2AA500	1/2AA	13.9	24.0	500	1.2V	NI-MH
28.	EBH2/5AA400	2/5AA	13.9	21.0	400	1.2V	NI-MH
29.	EBH1/3AA300	1/3AA	13.9	16.3	300	1.2V	NI-MH
30.	EBHA2100	A	16.6	49.0	2100	1.2V	NI-MH
31.	EBH7/5A3500	7/5A	16.6	66.0	3500	1.2V	NI-MH
32.	EBH7/5A3800	7/5A	16.6	66.0	3800	1.2V	NI-MH
33.	EBH4/5A1700	4/5A	16.6	42.1	1700	1.2V	NI-MH
34.	EBH4/5A1800	4/5A	16.6	42.1	1800	1.2V	NI-MH



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5, NO. 18, LANE 609, SEC.5, CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL: +886-2-2999-6599 FAX: +886-2-2999-6614 e-mail: leon@pactw.com.tw <http://www.pactw.com>

Ni-MH Rechargeable Battery Series
NICKEL METAL HYDRIDE BATTERY CELL (NI-MH)

NO.	P/N.	MODEL	Diameter ±0.2(mm)	Height ±0.5(mm)	Capacity (mAH)	Voltage (V)	Batt Type
35.	EBH4/5A2000	4/5A	16.6	42.1	2000	1.2V	NI-MH
36.	EBH1/2A1000	1/2A	16.6	27.4	1000	1.2V	NI-MH
37.	EBHSC2400	SC	22.0	42.0	2400	1.2V	NI-MH
38.	EBHSC2800	SC	22.0	42.0	2800	1.2V	NI-MH
39.	EBHSC2900	SC	22.0	42.0	2900	1.2V	NI-MH
40.	EBHSC3000	SC	22.0	42.0	3000	1.2V	NI-MH
41.	EBHSC3300	SC	22.0	42.0	3300	1.2V	NI-MH
42.	EBH5/4SC3500	5/4SC	22.0	49.0	3500	1.2V	NI-MH
43.	EBH4/5SC2000	4/5SC	22.0	32.5	2000	1.2V	NI-MH
44.	EBHC3300	C	25.2	49.0	3300	1.2V	NI-MH
45.	EBHC3700	C	25.2	49.0	3700	1.2V	NI-MH
46.	EBHC4000	C	25.2	49.0	4000	1.2V	NI-MH
47.	EBHC4500	C	25.2	49.0	4500	1.2V	NI-MH
48.	EBHD8000	D	32.1	59.0	8000	1.2V	NI-MH
49.	EBHD8500	D	32.1	59.0	8500	1.2V	NI-MH
50.	EBHD9000	D	32.1	59.0	9000	1.2V	NI-MH
51.	EBH1/2D3500	1/2D	32.1	35.0	3500	1.2V	NI-MH
52.	EBHF13000	F	32.1	89.0	13000	1.2V	NI-MH

Ni-CD Rechargeable Battery Series
NICKEL-CADMIUM BATTERY CELL (NI-CD)

NO.	P/N.	MODEL	Diameter ±0.2(mm)	Height ±0.5(mm)	Capacity (mAH)	Voltage (V)	Batt Type
1.	EBDAAA280	AAA	10.0	42.7	280	1.2V	NI-CD
2.	EBDAAA320	AAA	10.0	42.7	320	1.2V	NI-CD
3.	EBDAAA350	AAA	10.0	42.7	350	1.2V	NI-CD
4.	EBDAAA400	AAA	10.0	42.7	400	1.2V	NI-CD
5.	EBD2/3AAA170	2/3AAA	10.0	27.5	170	1.2V	NI-CD
6.	EBD1/3AAA80	1/3AAA	10.0	14.6	80	1.2V	NI-CD
7.	EBDAA500	AA	13.9	48.0	500	1.2V	NI-CD
8.	EBDAA600	AA	13.9	48.0	600	1.2V	NI-CD
9.	EBDAA700	AA	13.9	48.0	700	1.2V	NI-CD
10.	EBDAA800	AA	13.9	48.0	800	1.2V	NI-CD
11.	EBDAA900	AA	13.9	48.0	900	1.2V	NI-CD
12.	EBDAA1000	AA	13.9	48.0	1000	1.2V	NI-CD
13.	EBDAA1100	AA	13.9	48.0	1100	1.2V	NI-CD
14.	EBD7/5AA1200	7/5AA	13.9	64.5	1200	1.2V	NI-CD
15.	EBD7/5AA1300	7/5AA	13.9	64.5	1300	1.2V	NI-CD
16.	EBD4/5AA700	4/5AA	13.9	42.6	700	1.2V	NI-CD
17.	EBD4/5AA600	4/5AA	13.9	39.6	600	1.2V	NI-CD
18.	EBD5/7AA500	5/7AA	13.9	33.3	500	1.2V	NI-CD
19.	EBD2/3AA300	2/3AA	13.9	28.1	300	1.2V	NI-CD
20.	EBD2/3AA350	2/3AA	13.9	28.1	350	1.2V	NI-CD
21.	EBD2/3AA400	2/3AA	13.9	28.1	400	1.2V	NI-CD
22.	EBD2/3AA500	2/3AA	13.9	28.1	500	1.2V	NI-CD



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5, NO. 18, LANE 609, SEC.5, CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL: +886-2-2999-6599 FAX: +886-2-2999-6614 e-mail: leon@pactw.com.tw <http://www.pactw.com>

Ni-CD Rechargeable Battery Series NICKEL-CADMIUM BATTERY CELL (NI-CD)

NO.	P/N.	MODEL	Diameter ±0.2(mm)	Height ±0.5(mm)	Capacity (mAH)	Voltage (V)	Batt Type
23.	EBD1/2AA330	1/2AA	13.9	24.2	330	1.2V	NI-CD
24.	EBD1/3AA150	1/3AA	13.9	16.3	150	1.2V	NI-CD
25.	EBDA1200	A	16.6	49.0	1200	1.2V	NI-CD
26.	EBDA1400	A	16.6	49.0	1400	1.2V	NI-CD
27.	EBDA1600	A	16.6	49.0	1600	1.2V	NI-CD
28.	EBD7/5A1800	7/5A	16.6	66.2	1800	1.2V	NI-CD
29.	EBD7/5A2000	7/5A	16.6	66.2	2000	1.2V	NI-CD
30.	EBD4/5A1000	4/5A	16.6	42.1	1000	1.2V	NI-CD
31.	EBD4/5A1100	4/5A	16.6	42.1	1100	1.2V	NI-CD
32.	EBD4/5A1200	4/5A	16.6	42.1	1200	1.2V	NI-CD
33.	EBD1/3A250	1/3A	16.6	16.3	250	1.2V	NI-CD
34.	EBD1/2A600	1/2A	16.3	27.4	600	1.2V	NI-CD
35.	EBD1/2A650	1/2A	16.3	27.4	650	1.2V	NI-CD
36.	EBD1/2A700	1/2A	16.3	27.4	700	1.2V	NI-CD
37.	EBDSC1200	SC	22.0	42.0	1200	1.2V	NI-CD
38.	EBDSC1300	SC	22.0	42.0	1300	1.2V	NI-CD
39.	EBDSC1500	SC	22.0	42.0	1500	1.2V	NI-CD
40.	EBDSC1800	SC	22.0	42.0	1800	1.2V	NI-CD
41.	EBDSC2000	SC	22.0	42.0	2000	1.2V	NI-CD
42.	EBDSC2200	SC	22.0	42.0	2200	1.2V	NI-CD
43.	EBD5/4SC2000	5/4SC	22.0	49.0	2000	1.2V	NI-CD
44.	EBD5/4SC2300	5/4SC	22.0	49.0	2300	1.2V	NI-CD
45.	EBD4/5SC1000	4/5SC	22.0	32.5	1000	1.2V	NI-CD
46.	EBD4/5SC1200	4/5SC	22.0	32.5	1200	1.2V	NI-CD
47.	EBDC2500	C	25.2	49.0	2500	1.2V	NI-CD
48.	EBDC2800	C	25.2	49.0	2800	1.2V	NI-CD
49.	EBD2/3C1100	2/3C	25.2	27.9	1100	1.2V	NI-CD
50.	EBD1/2C850	1/2C	25.2	23.0	850	1.2V	NI-CD
51.	EBDD4400	D	32.1	59.0	4400	1.2V	NI-CD
52.	EBDD5000	D	32.1	59.0	5000	1.2V	NI-CD
53.	EBDD6000	D	32.1	59.0	6000	1.2V	NI-CD
54.	EBD1/2D2500	1/2D	32.1	35.0	2500	1.2V	NI-CD
55.	EBDF7000	F	32.1	89.0	7000	1.2V	NI-CD
56.	EBDF8000	F	32.1	89.0	8000	1.2V	NI-CD
57.	EBDN200	N	11.5	28.5	200	1.2V	NI-CD

LITHIUM POLYMER BATTERY CELL (Li-Polymer)

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.2	W±0.5	L±0.5			
1.	PAC	P461021	4.4	10.0	21.0	55	3.7V	Li-Polymer
2.	PAC	P501221	4.8	12.0	25.0	70	3.7V	Li-Polymer
3.	PAC	P601221	6.0	12.0	20.0	70	3.7V	Li-Polymer
4.	PAC	P421225	4.0	12.0	25.0	77	3.7V	Li-Polymer
5.	PAC	P551225	5.3	11.5	24.5	100	3.7V	Li-Polymer
6.	PAC	P301230	2.8	12.0	30.0	65	3.7V	Li-Polymer



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5,NO. 18, LANE 609, SEC.5,CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL:+886-2-2999-6599 FAX:+886-2-2999-6614 e-mail: leon@pactw.com.tw http://www.pactw.com

LITHIUM POLYMER BATTERY CELL (Li-Polymer)

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.2	W±0.5	L±0.5			
7.	PAC	P401230	4.0	12.0	30.0	100	3.7V	Li-Polymer
8.	PAC	P501230	5.0	12.0	30.0	120	3.7V	Li-Polymer
9.	PAC	P601230	6.0	12.0	30.0	130	3.7V	Li-Polymer
10.	PAC	P401235	4.0	12.0	35.0	120	3.7V	Li-Polymer
11.	PAC	P501235	5.0	12.0	35.0	160	3.7V	Li-Polymer
12.	PAC	P551364	5.4	12.1	62.3	360	3.7V	Li-Polymer
13.	PAC	P601421	6.0	14.0	21.0	100	3.7V	Li-Polymer
14.	PAC	P401430	4.0	14.0	30.0	110	3.7V	Li-Polymer
15.	PAC	P401430P1	4.0	14.0	30.0	120	3.7V	Li-Polymer
16.	PAC	P501430	5.0	14.0	30.0	160	3.7V	Li-Polymer
17.	PAC	P551430	5.5	14.0	30.0	170	3.7V	Li-Polymer
18.	PAC	P521435	5.0	14.0	35.0	200	3.7V	Li-Polymer
19.	PAC	P501528	5.0	15.0	28.0	150	3.7V	Li-Polymer
20.	PAC	P451834	4.3	18.0	34.0	230	3.7V	Li-Polymer
21.	PAC	P601930	6.0	19.0	30.0	280	3.7V	Li-Polymer
22.	PAC	P402025	4.0	20.0	25.0	140	3.7V	Li-Polymer
23.	PAC	P402025	5.0	20.0	25.0	180	3.7V	Li-Polymer
24.	PAC	P552025	5.3	20.0	25.0	200	3.7V	Li-Polymer
25.	PAC	P602025	6.0	20.0	25.0	230	3.7V	Li-Polymer
26.	PAC	P402028	3.8	20.0	27.5	165	3.7V	Li-Polymer
27.	PAC	P382030	3.8	20.0	30.0	170	3.7V	Li-Polymer
28.	PAC	P402030	4.0	20.0	30.0	180	3.7V	Li-Polymer
29.	PAC	P402030PH	4.0	20.0	30.0	150	3.7V	Li-Polymer
30.	PAC	P502030	5.0	20.0	30.0	250	3.7V	Li-Polymer
31.	PAC	P352035	3.3	20.0	35.0	160	3.7V	Li-Polymer
32.	PAC	P352035P1	3.3	20.0	35.0	180	3.7V	Li-Polymer
33.	PAC	P402035	4.0	20.0	35.0	230	3.7V	Li-Polymer
34.	PAC	P452035	4.5	20.0	35.0	250	3.7V	Li-Polymer
35.	PAC	P502035	5.0	20.0	35.0	280	3.7V	Li-Polymer
36.	PAC	P552035	5.5	20.0	35.0	350	3.7V	Li-Polymer
37.	PAC	P302040	2.8	20.0	40.0	185	3.7V	Li-Polymer
38.	PAC	P702035	6.8	20.0	35.0	420	3.7V	Li-Polymer
39.	PAC	P402040	3.8	20.0	40.0	260	3.7V	Li-Polymer
40.	PAC	P382044	3.8	20.0	44.0	250	3.7V	Li-Polymer
41.	PAC	P502044	5.0	20.0	44.0	350	3.7V	Li-Polymer
42.	PAC	P402060	4.0	20.0	60.0	400	3.7V	Li-Polymer
43.	PAC	P302245	2.8	22.0	45.0	220	3.7V	Li-Polymer
44.	PAC	P582245	5.6	22.0	45.0	550	3.7V	Li-Polymer
45.	PAC	P602245	6.0	22.0	45.0	580	3.7V	Li-Polymer
46.	PAC	P362439	3.4	24.0	39.0	290	3.7V	Li-Polymer
47.	PAC	P432439	4.1	24.0	39.0	350	3.7V	Li-Polymer
48.	PAC	P382447	3.8	24.0	47.0	400	3.7V	Li-Polymer
49.	PAC	P412447	3.9	24.0	47.0	450	3.7V	Li-Polymer
50.	PAC	P502447	5.0	24.0	47.0	550	3.7V	Li-Polymer
51.	PAC	P702525PH	6.5	23.5	24.0	300	3.7V	Li-Polymer
52.	PAC	P432595	4.1	25.0	94.0	1000	3.7V	Li-Polymer



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5,NO. 18, LANE 609, SEC.5,CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.

TEL:+886-2-2999-6599 FAX:+886-2-2999-6614 e-mail: leon@pactw.com.tw <http://www.pactw.com>**LITHIUM POLYMER BATTERY CELL (Li-Polymer)**

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.2	W±0.5	L±0.5			
53.	PAC	P432543	4.1	25.0	43.0	400	3.7V	Li-Polymer
54.	PAC	P432453	4.1	24.0	53.0	530	3.7V	Li-Polymer
55.	PAC	P502648	5.0	26.0	48.0	600	3.7V	Li-Polymer
56.	PAC	P502730	5.0	27.0	30.0	350	3.7V	Li-Polymer
57.	PAC	P962731	9.4	27.0	31.0	720	3.7V	Li-Polymer
58.	PAC	P402845	4.0	28.0	45.0	450	3.7V	Li-Polymer
59.	PAC	P502845	5.0	28.0	45.0	600	3.7V	Li-Polymer
60.	PAC	P403040	4.0	30.0	40.0	450	3.7V	Li-Polymer
61.	PAC	P503040	4.8	30.0	40.0	560	3.7V	Li-Polymer
62.	PAC	P523040	5.0	30.0	40.0	620	3.7V	Li-Polymer
63.	PAC	P553045	5.0	29.5	44.0	650	3.7V	Li-Polymer
64.	PAC	P303048	2.8	30.0	48.0	360	3.7V	Li-Polymer
65.	PAC	P403048P0	3.8	30.0	48.0	580	3.7V	Li-Polymer
66.	PAC	P403048	4.0	30.0	48.0	600	3.7V	Li-Polymer
67.	PAC	P483048	4.6	30.0	48.0	720	3.7V	Li-Polymer
68.	PAC	P503048	5.0	30.0	48.0	720	3.7V	Li-Polymer
69.	PAC	P523048	5.0	30.0	48.0	750	3.7V	Li-Polymer
70.	PAC	P553048	5.5	30.0	48.0	820	3.7V	Li-Polymer
71.	PAC	P703048	6.8	30.0	47.0	1000	3.7V	Li-Polymer
72.	PAC	P503048PH	4.8	30.0	48.0	600	3.7V	Li-Polymer
73.	PAC	P283048PH	2.6	30.0	48.0	250	3.7V	Li-Polymer
74.	PAC	P903060	9.0	30.0	60.0	1800	3.7V	Li-Polymer
75.	PAC	P373265	3.5	32.0	65.0	800	3.7V	Li-Polymer
76.	PAC	P383435	3.8	34.0	35.0	400	3.7V	Li-Polymer
77.	PAC	P463435	4.4	34.0	35.0	520	3.7V	Li-Polymer
78.	PAC	P103435	10.0	34.0	35.0	1200	3.7V	Li-Polymer
79.	PAC	P763445	7.4	34.0	45.0	1300	3.7V	Li-Polymer
80.	PAC	P323450	3.2	34.0	50.0	550	3.7V	Li-Polymer
81.	PAC	P383450	3.8	34.0	50.0	700	3.7V	Li-Polymer
82.	PAC	P453450	4.3	34.0	50.0	780	3.7V	Li-Polymer
83.	PAC	P483450	4.8	34.0	50.0	800	3.7V	Li-Polymer
84.	PAC	P523450	5.0	34.0	50.0	900	3.7V	Li-Polymer
85.	PAC	P5234501	5.0	34.0	50.0	950	3.7V	Li-Polymer
86.	PAC	P583450	5.8	34.0	50.0	1000	3.7V	Li-Polymer
87.	PAC	P643450	6.4	34.0	50.0	1200	3.7V	Li-Polymer
88.	PAC	P803450	7.8	34.0	50.0	1450	3.7V	Li-Polymer
89.	PAC	P883450	8.8	34.0	50.0	1650	3.7V	Li-Polymer
90.	PAC	P963450	9.6	34.0	50.0	1750	3.7V	Li-Polymer
91.	PAC	P103450	10.0	34.0	50.0	1800	3.7V	Li-Polymer
92.	PAC	P263455	2.4	34.0	55.0	400	3.7V	Li-Polymer
93.	PAC	P293455	2.7	34.0	55.0	500	3.7V	Li-Polymer
94.	PAC	P533459PH	5.1	33.5	59.0	740	3.7V	Li-Polymer
95.	PAC	P283562	2.8	35.0	62.0	600	3.7V	Li-Polymer
96.	PAC	P383562	3.8	35.0	62.0	850	3.7V	Li-Polymer
97.	PAC	P383562P1	3.6	34.5	61.0	830	3.7V	Li-Polymer
98.	PAC	P503562	5.0	35.0	62.0	1100	3.7V	Li-Polymer



金鞍企業

金碗國際股份有限公司

PAC ELECTRONICS CO., LTD.

3F-5, NO. 18, LANE 609, SEC.5, CHUNG SIN ROAD, SHAN CHUNG CITY, TAIPEI-HSIEN, TAIWAN, R.O.C.
 TEL: +886-2-2999-6599 FAX: +886-2-2999-6614 e-mail: leon@pactw.com.tw <http://www.pactw.com>

LITHIUM POLYMER BATTERY CELL (Li-Polymer)

NO.	P/N.	MODEL	Dimension (mm)			Typical Capacity (mAh)	Nominal Voltage (V)	Battery Type
			Thickness	Width	Length			
			T±0.2	W±0.5	L±0.5			
99.	PAC	P6635135	6.4	35.0	135.0	3500	3.7V	Li-Polymer
100.	PAC	P503759	5.0	37.0	59.0	1240	3.7V	Li-Polymer
101.	PAC	P583759	5.6	37.0	59.0	1400	3.7V	Li-Polymer
102.	PAC	P623759	6.0	37.0	59.0	1500	3.7V	Li-Polymer
103.	PAC	P434364	4.3	43.0	64.0	1300	3.7V	Li-Polymer
104.	PAC	P554388	5.5	43.0	88.0	2400	3.7V	Li-Polymer
105.	PAC	P524396	5.2	43.0	96.0	2400	3.7V	Li-Polymer
106.	PAC	P704878	7.0	48.0	78.0	3000	3.7V	Li-Polymer
107.	PAC	P505152	5.0	50.0	50.0	1200	3.7V	Li-Polymer
108.	PAC	P765264	7.0	52.0	63.0	2600	3.7V	Li-Polymer
109.	PAC	P705264	6.8	52.0	63.0	2400	3.7V	Li-Polymer
110.	PAC	P505385	4.8	52.7	84.7	2200	3.7V	Li-Polymer
111.	PAC	P456295	4.5	61.0	94.0	2600	3.7V	Li-Polymer
112.	PAC	P507070	5.0	70.0	70.0	2800	3.7V	Li-Polymer

TERMS : EX-WORK
 PAYMENT : 100% BY T/T IN ADVANCE
 DELIVERY : TO BE CONFIRMED

CONTACT PERSON: MR. LEON HSU
 POSITION: EXPORT MANAGER
 E-MAIL: leon@pactw.com.tw
 TEL: +886-2-2999-6599
 FAX: +886-2-2999-6614
 CELLULAR: +886-921-929-297
 WEBSITE : <http://www.pactw.com>

PAC ELECTRONICS CO., LTD.

Leon Hsu
